



Appliance Oven Tubular

Appliance 15W E14 230-240V T22 CL OV 1CT

Tubular vacuum lamps with clear glass (T-bulb)

PHILIPS

Product data

• General Characteristics

Cap-Base	E14
Bulb	T22 [T 22mm]
Bulb Finish	Clear
Operating Position	any [Any or Universal (U)]
Main Application	Oven
Nominal Lifetime	1000 hr
Rated Lifetime (hours)	1000 hr
Rated Lifetime (years)	1 an

• Light Technical Characteristics

Color Rendering Index	100 Ra8
Color Temperature	2700 K
Luminous flux lamp	90 Lm
Rated Luminous Flux	90 Lm

• Electrical Characteristics

Rated Wattage	15.0 W
Lamp Wattage	15 W
Lamp Wattage Technical	15.0 W
Power Factor	1 -
Voltage	230-240 V
Lamp Current	0.06 A
Dimmable	Yes
Starting Time	0.0 s
Warm-up Time to 60% Light Outp	instant full light

• Environmental Characteristics

Energy Efficiency Label (EEL)	E
-------------------------------	---

Energy consumption kWh/1000h	15 kWh
------------------------------	--------

• Measuring Conditions

Switching cycle	4000X
-----------------	-------


• Product Dimensions

Overall Length C	49 (max) mm
Diameter D	22 (max) mm

• Product Data

Order code	921096244427
Full product code	921096244427
Full product name	Appliance 15W E14 230-240V T22 CL OV 1CT
Order product name	App 15W E14 230-240V T22 CL OV 1CT
Pieces per pack	1
Packing configuration	10X10F
Packs per outerbox	100
Bar code on pack - EAN1	8727900947038
Bar code on intermediate packing - EAN2	8727900947045
Bar code on outerbox - EAN3	8727900947052
Logistic code(s) - 12NC	921096244427
ILCOS code	IBT/C-15-230/240-E14-22*
Net weight per piece	12.000 gr


Dimensional drawing



Appliance 15W E14 230-240V T22 CL OV 1CT

Product	C (Max)	D (Norm)	D (Max)
APP 15W E14 230-240V T22 CL OV	49	-	22

Dimensional drawing



E14



© 2014 Koninklijke Philips N.V. (Royal Philips)
All rights reserved.

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips N.V. (Royal Philips) or their respective owners.

www.philips.com/lighting

2014, February 6
data subject to change